

# Intermacs Screening Log

**Implant Date**

MM/DD/YYYY

## Inclusion: Patient must meet all inclusion criteria:

If patient meets all inclusion criteria then check **ALL** inclusion reasons below.

- Patient receives a durable mechanical circulatory support device (MCSD) which is FDA approved
- Implanted on or after March 1, 2006 (The device does not need to be the first implant for the patient)

## Exclusion: Any exclusion will disqualify the patient for entry into INTERMACS®

If patient meets **ANY** exclusion criteria then check any of the appropriate exclusion reasons below (check all that apply).

- Patient receives a durable mechanical circulatory support device (MCSD) which is not FDA approved
- Patient is incarcerated (prisoner)

### Device type

- LVAD
- RVAD
- Both (LVAD + RVAD in the same OR visit)
- Total Artificial Heart

Please remember to fill out the RHF adverse event form

### Device brand

- HeartMate IP
- HeartMate VE
- Novacor PC
- Novacor PCq
- HeartMate XVE
- Abiomed BVS 5000
- Biomedicus
- SynCardia TAH - 70cc
- AbioCor TAH
- Thoratec IVAD
- Medtronic HVAD
- Abiomed AB5000
- Abiomed Impella 2.5
- TandemHeart
- Thoratec Centrimag (Levitronix)
- Berlin Heart EXCOR (paracorporeal)
- Micromed DeBakey VAD - Child
- Thoratec PVAD
- HeartMate II LVAS
- Sorin Revolution
- Abiomed Impella 5.0
- Abiomed Impella CP
- Abiomed Impella RP
- HeartMate III
- SynCardia TAH - 50cc
- Abiomed Impella 5.5
- Other, Specify

**Specify brand****Specify brand (RVAD)****Age Range**

- 19 to 39  
 40 to 59  
 60 to 79  
 80+

**Race**

- American Indian or Alaska Native  
 Asian  
 African-American or Black  
 Hawaiian or other Pacific Islander  
 White  
 Unknown / Undisclosed  
 Other / none of the above

**Ethnicity: Hispanic or Latino**

- Yes  
 No  
 Unknown

**Gender**

- Male  
 Female  
 Unspecified

**Did death occur within 2 days post implant?**

- Yes  
 No

**Is this VAD an investigational device?**

- Yes  
 No

**Is patient involved in a VAD related study?**

- Yes  
 No  
 Unknown

**What is the name of the study?****Is this an industry sponsored post approval study?**

- Yes  
 No  
 Unknown